QNAP

QNAP TS-1277XU-RP NAS Rack (2U) AMD Ryzen™ 3 1200 4 GB DDR4 144 TB HDD QNAP Turbo System Black

Brand : QNAP **Product code:** TS-1277XU-RP-1200-4G-144TB-GLD



Product name : TS-1277XU-RP

2U, AMD Ryzen 3 1200 3.1 GHz, 4 GB DDR4, 12x 3.5", SATA 6 Gbps, 2x 10GbE SFP+, 2x RJ45, USB 3.1, USB 3.0, 4x PCle, 100-240V AC, 50/60Hz, 2x 300W, QTS 4.3.4

QNAP TS-1277XU-RP. Type: NAS. Chassis type: Rack (2U). Device class: Home & Home Office. Processor family: AMD Ryzen™ 3, Processor model: 1200, Processor frequency: 3.1 GHz. Internal memory: 4 GB, Internal memory type: DDR4. Total installed storage capacity: 144 TB, Installed storage drive type: HDD. Operating system installed: QNAP Turbo System



Adlna

Storage		Ports & interfaces	
Supported storage drive interfaces	Serial ATA III	PCI Express x8 (Gen 3.x) slots	2
Storage drive sizes supported	2.5,3.5"	Design	
RAID support *	√	Chassis type *	Rack (2U)
RAID levels	0, 1, 5, 6, 10, JBOD	Cooling type *	Active
Online RAID migration Online RAID expansion	4	Product colour	Black
Hot-swap drive bays	4	Number of fans	2 fan(s)
Supported file systems	FAT32, HFS+, NTFS, ext3, ext4	Fan diameter	7 cm
Storage drives installed *	✓	LED indicators	✓
Total installed storage capacity *	144 TB	Performance	
Number of storage drives supported	12	Type *	NAS
*		Device class *	Home & Home Office
Installed storage drive type *	HDD	Backup function *	✓
Supported storage drive types *	HDD & SSD	Backup features	Cloud, iSCSI LUN
Bad block scan	1	Multilingual support	✓
Processor		Web-based management	✓
Processor family * Processor model *	AMD Ryzen™ 3 1200	Share folder access right management	✓
Processor frequency *	3.1 GHz	Security algorithms	256-bit AES, FIPS 140-2, HTTPS, SNMP, SSH, SSL/TLS
Processor boost frequency	3.4 GHz	Access Control List (ACL)	√
Processor cores	4	Reset button	✓
Processor threads	4	On/off switch	1
Processor operating modes	64-bit	Built-in iTunes server	✓
Memory		Built-in FTP server	✓
Internal memory * Internal memory type	4 GB DDR4	Browser supported	Apple Safari 7+, Google Chrome, Microsoft Internet Explorer 10+, Mozilla Firefox
Maximum RAM supported	64 GB	System log	1
Memory slots	4	S.M.A.R.T. support	✓
Network		Share folder	CIFS/SMB
Ethernet LAN *	✓	Software	
Ethernet LAN data rates	10,100,1000,10000 Mbit/s	Operating system installed *	QNAP Turbo System
Ethernet LAN data rate supported (max)	10000 Mbit/s	Operating system version	4.3
Wi-Fi	×	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1
DHCP client	✓	Linux operating systems supported	o, willdows o.1 ✓
DHCP server	√	zpolating of stering supported	•

Network		Software	
Jumbo frames support iSCSI support Wake-on-LAN ready	<i>4 4</i>	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave
Supported network protocols Dynamic DNS (DDNS) WLAN adapter supported	TCP/IP, IPv4, IPv6	Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
Ports & interfaces		Power	
USB port *	✓	Power supply location	Built-in
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4	Power supply unit (PSU) capacity	300 W
USB 3.2 Gen 2 (3.1 Gen 2) Type-A		Number of power supply units	2
ports quantity	1	AC input voltage	100-240 V
USB 3.2 Gen 2 (3.1 Gen 2) Type-C	1	AC input frequency	50 - 60 Hz
ports quantity	2	Fan voltage	12 V
Fiber ports quantity Fiber optic connector	2 SFP+	Weight & dimensions	
Ethernet LAN (RJ-45) ports *	2	Width *	482 mm
PCI Express x4 (Gen 3.x) slots	2	Depth *	562 mm
. c. <u>-</u>	-	Height *	88.3 mm
		Packaging content	
		Cables included	AC, LAN (RJ-45)
		Quick installation guide	✓
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	5 - 95%
		Other features	
		Digital Living Network Alliance (DLNA) certified	1

