## QNAP

## QNAP TS-1232XU NAS Rack (2U) Annapurna Labs Alpine AL-324 4 GB DDR4 120 TB HDD QNAP Turbo System Black

**Brand :** QNAP **Product code:** TS-1232XU-4G-120TB-GLD

Product name: TS-1232XU

2U, 12-Bay, Alpine AL-324, Quad-Core, 1.7GHz, 64-bit, 4 GB DDR4, 512MB DOM, 2.5", 3.5", SATA III, RJ-45, SFP+, USB 3.0, PCIe 2.0x2, 11.3kg, ATX 250W, 120TB (WD Gold)
QNAP TS-1232XU. Type: NAS. Chassis type: Rack (2U). Device class: Large Enterprise Business.
Processor family: Annapurna Labs, Processor model: Alpine AL-324, Processor frequency: 1.7 GHz.
Internal memory: 4 GB, Internal memory type: DDR4. Total installed storage capacity: 120 TB, Installed storage drive type: HDD. Operating system installed: QNAP Turbo System





Storage		Design	
Supported storage drive interfaces Storage drive size	10 TB Serial ATA III Serial ATA III 2.5/3.5" 2.5,3.5"  ✓ 0, 1, 5, 6, 10, JBOD	Cooling type * Product colour Number of fans Fan diameter Fan diameter 2 LED indicators Cable lock slot	Active Black 2 fan(s) 7 cm 7 cm HDD, LAN, Status  ✓
Online RAID migration	✓	Cable lock slot type	Kensington
Online RAID expansion	1	Performance	
RAID rebuild Hot-swap drive bays	✓ ✓ FAT32, HFS+, NTFS, exFAT, ext3,	Type * Device class *	NAS Large Enterprise Business
Supported file systems	ext4	Backup function *	✓
Storage drives installed * Total installed storage capacity *	✓ 120 TB	Backup features Buzzer	Cloud, iSCSI LUN  ✓
Number of storage drives installed *	12	Noise level	24.5 dB
Number of storage drives supported *	12	Snapshot Security algorithms	256-bit AES, HTTPS, SSH
Installed storage drive type *	HDD	Reset button	✓
Supported storage drive types *	HDD & SSD	On/off switch	✓
Bad block scan  Processor	<b>✓</b>	Browser supported	Apple Safari 7, Google Chrome, Microsoft Internet Explorer 10, Mozilla Firefox
Processor family *	Annapurna Labs	S.M.A.R.T. support	✓
Processor model *	Alpine AL-324	Universal Plug and Play (UPnP)	✓
Processor frequency *	1.7 GHz	Software	
Processor cores Processor architecture	4 ARM Cortex-A57	Operating system installed * Operating system version	QNAP Turbo System 4.3.4
Memory		Windows operating systems	
Internal memory * Internal memory type	4 GB DDR4	supported Linux operating systems supported	Windows 10, Windows 7, Windows 8  ✓  Mac OS X 10.7 Lion, Mac OS X 10.8
Maximum RAM supported Memory slots	16 GB 1	Mac operating systems supported	Mountain Lion, Mac OS X 10.9 Mavericks
Memory form factor Flash memory	UDIMM 512 MB	Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2,
Network			Windows Server 2016
Ethernet LAN *	✓		

Network		Power	
Ethernet LAN data rates 1000 Mbit/s  Ethernet LAN data rate supported (max) 10000 Mbit/s  Wi-Fi X  DHCP client V  DHCP server V  Jumbo frames support V  iSCSI support V	Power supply location Power supply unit (PSU) capacity Number of power supply units AC input voltage AC input frequency Fan voltage Output current Weight & dimensions	Built-in 250 W 1 100 - 240 V 50 - 60 Hz 12 V 3.5 A	
Wake-on-LAN ready	✓	Width *	482 mm
Dynamic DNS (DDNS)	✓	width *  Depth *	482 mm 534 mm
Ports & interfaces		Height *	89 mm
USB port * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	✓	Weight	11.3 kg
	4	Packaging content	
Fiber ports quantity	2	Cables included	AC, LAN (RJ-45)
Fiber optic connector	SFP+	Quick installation guide	✓
Ethernet LAN (RJ-45) ports *	2	Number of screws	84
Design		Sustainability	
Chassis type *	Rack (2U)	Sustainability certificates	RoHS
		Operational conditions	
		Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 5 - 95%
		Other features	
		Compliance certificates	RoHS

