QNAP

QNAP TS-1273AU-RP-8G/96TB-IWP NAS/storage server Rack (2U) Ryzen Embedded V1500B 8 GB DDR4 HDD QNAP Turbo System Black, Grey



Brand : QNAP **Product code:** TS-1273AU-RP-8G/96TB-IWP

Product name: TS-1273AU-RP-8G/96TB-IWP

AMD Ryzen Embedded V1500B, 8 GB UDIMM DDR4 (1 x 8 GB), 5 GB Flash, 12 x 3.5-inch SATA 2/3, 89 x 482 \times 425 mm, 300W (x2) PSU, 100 - 240V

QNAP TS-1273AU-RP-8G/96TB-IWP. Type: NAS. Chassis type: Rack (2U). Device class: Small & Medium Business. Processor family: Ryzen Embedded, Processor model: V1500B, Processor frequency: 2.2 GHz. Internal memory: 8 GB, Internal memory type: DDR4. Total installed storage capacity: 96 TB, Installed storage drive type: HDD. Operating system installed: QNAP Turbo System



Storage		Ports & interfaces	
Storage drive interface * Supported storage drive interfaces Storage drive size Storage drive sizes supported RAID support * RAID levels Online RAID migration Online RAID expansion RAID rebuild Hot-swap drive bays	Serial ATA II, Serial ATA III Serial ATA II, Serial ATA III 2.5/3.5" 2.5,3.5" 0, 1, 5, 6, 10, 50, 60, JBOD	Ethernet LAN (RJ-45) ports *	2
		Design	
		Chassis type * Cooling type * Product colour Number of fans Fan diameter Fan diameter 2 LED indicators	Rack (2U) Active Black, Grey 2 fan(s) 8 cm 8 cm HDD, LAN, Power, Status, USB
Supported file systems	FAT32, HFS+, NTFS, ext3, ext4	Performance	
Storage drives installed * Total installed storage capacity * Number of storage drives installed * Number of storage drives supported *		Type * Device class * Backup function * Backup features	NAS Small & Medium Business ✓ Cloud, iSCSI LUN
Installed storage drive type *	HDD	Buzzer Multilingual support	1
Supported storage drive types *	HDD & SSD	Security algorithms	256-bit AES, FIPS 140-2, HTTPS, SNMPv2, SNMPv3, SSL/TLS
Processor Processor manufacturer * Processor family * Processor model * Processor frequency * Processor cores Processor threads L2 cache L3 cache	AMD Ryzen Embedded V1500B 2.2 GHz 4 8 2 MB 4 MB	Access Control List (ACL) Reset button On/off switch Browser supported System log Hot spare Disk scan S.M.A.R.T. support	Apple Safari 7+, Google Chrome, Mozilla Firefox
Memory	0.00	Share folder	CIFS/SMB
Internal memory * Internal memory type Maximum RAM supported Memory slots Memory form factor Flash memory	8 GB DDR4 32 GB 2 DIMM 5000 MB	Operating system installed * Operating system version Windows operating systems supported Linux operating systems supported	QNAP Turbo System 4.4.2 Windows 10, Windows 7, Windows 8
Network			Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12
Ethernet LAN * Ethernet LAN data rates DHCP client DHCP server	✓ 100,1000,2500 Mbit/s ✓	Mac operating systems supported	Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina

Network		Software	
Jumbo frames support iSCSI support Wake-on-LAN ready Dynamic DNS (DDNS)	* * * *	Server operating systems supported	Windows Server 2008 R2, Windows Server 2008 R2 x64, Windows Server 2012, Windows Server 2012 R2, Windows Server 2012 R2 x64, Windows Server 2012 x64, Windows Server 2016, Windows Server 2016 x64, Windows Server 2019
Ports & interfaces			
USB port * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	✓	Other operating systems supported	Solaris 10
	1	Power	
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2	Power supply location Power supply unit (PSU) capacity Number of power supply units	Built-in 300 W 2
		AC input voltage	100 - 240 V
		Weight & dimensions	
		Width * Depth * Height * Weight	482 mm 425 mm 89 mm 9.69 kg
		Operational conditions	
		Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T) Storage relative humidity (H-H)	0 - 40 °C 5 - 95% -20 - 70 °C 5 - 95%

