QNAP

DHCP server

QNAP TS-1273AU-RP-8G/72TB-REDPRO NAS/storage server Rack (2U) Ryzen Embedded V1500B 8 GB DDR4 HDD QNAP Turbo System Black, Grey



Brand: QNAP Product code: TS-1273AU-RP-8G/72TB-

REDPRO

Product name: TS-1273AU-RP-8G/72TB-REDPRO

AMD Ryzen Embedded V1500B, 8 GB UDIMM DDR4 (1 x 8 GB), 5 GB Flash, 12 x 3.5-inch SATA 2/3, 89 \times 482×425 mm, 300W (x2) PSU, 100 - 240V

QNAP TS-1273AU-RP-8G/72TB-REDPRO. Type: NAS. Chassis type: Rack (2U). Device class: Small & Medium Business. Processor family: Ryzen Embedded, Processor model: V1500B, Processor frequency: 2.2 GHz. Internal memory: 8 GB, Internal memory type: DDR4. Total installed storage capacity: 72 TB, Installed storage drive type: HDD. Operating system installed: QNAP Turbo System



| Storage | | Ports & interfaces | |
|--|---|--|--|
| Storage drive interface * | Serial ATA II, Serial ATA III Serial ATA II, Serial ATA III 2.5/3.5" 2.5,3.5" 0, 1, 5, 6, 10, 50, 60, JBOD | Ethernet LAN (RJ-45) ports * | 2 |
| | | Design | |
| Storage drive size Storage drive sizes supported RAID support * RAID levels Online RAID migration Online RAID expansion RAID rebuild | | Chassis type * Cooling type * Product colour Number of fans Fan diameter Fan diameter 2 LED indicators | Rack (2U) Active Black, Grey 2 fan(s) 8 cm 8 cm HDD, LAN, Power, Status, USB |
| Hot-swap drive bays Supported file systems | FAT32, HFS+, NTFS, ext3, ext4 | Performance | |
| Storage drives installed * Total installed storage capacity * Number of storage drives installed * Number of storage drives supported * Installed storage drive type * Supported storage drive types * Processor Processor manufacturer * Processor family * Processor frequency * Processor cores Processor threads L2 cache L3 cache | ✓ 72 TB 12 | Type * Device class * Backup function * Backup features Buzzer Multilingual support Security algorithms Access Control List (ACL) Reset button On/off switch Browser supported System log Hot spare Disk scan S.M.A.R.T. support | NAS Small & Medium Business Cloud, iSCSI LUN 256-bit AES, FIPS 140-2, HTTPS, SNMPv2, SNMPv3, SSL/TLS Apple Safari 7+, Google Chrome, Mozilla Firefox |
| Memory | | Share folder | CIFS/SMB |
| Internal memory * | 8 GB | Software | |
| Internal memory type Maximum RAM supported Memory slots Memory form factor Flash memory | DDR4 32 GB 2 DIMM 5000 MB | Operating system installed * Operating system version Windows operating systems supported Linux operating systems supported | QNAP Turbo System 4.4.2 Windows 10, Windows 7, Windows 8 |
| Network | | | Mac OS X 10.10 Yosemite, Mac OS X 10.11 Fl Capitan, Mac OS X 10.13 |
| Ethernet LAN * Ethernet LAN data rates DHCP client | √ 100,1000,2500 Mbit/s √ | Mac operating systems supported | 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina |

| Network | | Software | |
|---|---------|---|---|
| Jumbo frames support iSCSI support Wake-on-LAN ready Dynamic DNS (DDNS) | * * * * | Server operating systems supported | Windows Server 2008 R2, Windows Server 2008 R2 x64, Windows Server 2012, Windows Server 2012 R2, Windows Server 2012 R2 x64, Windows Server 2012 x64, Windows Server 2016, Windows Server 2016 x64, Windows Server 2019 |
| Ports & interfaces | | | |
| USB port * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | ✓ | Other operating systems supported | Solaris 10 |
| | 1 | Power | |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity | 2 | Power supply location Power supply unit (PSU) capacity Number of power supply units | Built-in 300 W 2 |
| | | AC input voltage | 100 - 240 V |
| | | Weight & dimensions | |
| | | Width * Depth * Height * Weight | 482 mm 425 mm 89 mm 9.69 kg |
| | | Operational conditions | |
| | | Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T) Storage relative humidity (H-H) | 0 - 40 °C 5 - 95% -20 - 70 °C 5 - 95% |

