## QNAP

## QNAP TS-1677XU-RP NAS Rack (3U) AMD Ryzen™ 7 2700 16 GB **DDR4 32 TB HDD QNAP Turbo System Black**

**Brand**: QNAP Product code: TS-1677XU-RP-2700-16G-32TB-GLD



**Product name :** TS-1677XU-RP

TS-1677XU-RP, AMD Ryzen 7 2700, 16 GB DDR4, 16x 3.5" SATA III, 10G SFP+, RJ-45, USB 3.1, 3U, 130x481x573.5 mm

QNAP TS-1677XU-RP. Type: NAS. Chassis type: Rack (3U). Device class: Small & Medium Business. Processor family: AMD Ryzen™ 7, Processor model: 2700, Processor frequency: 3.2 GHz. Internal memory: 16 GB, Internal memory type: DDR4. Total installed storage capacity: 32 TB, Installed storage drive type: HDD. Operating system installed: QNAP Turbo System





Storage		Design	
Supported storage drive interfaces Storage drive sizes supported RAID support * RAID levels Online RAID migration Online RAID expansion	Serial ATA, Serial ATA II, Serial ATA III  2.5,3.5"  0, 1, 5, 6, 10, JBOD	Chassis type * Cooling type * Product colour Number of fans Fan diameter LED indicators	Rack (3U) Active Black 4 fan(s) 9.2 cm ✓
RAID rebuild  Hot-swap drive bays  Supported file systems  Storage drives installed *  Total installed storage capacity *  Number of storage drives supported	✓ FAT32, HFS+, NTFS, ext3, ext4 ✓ 32 TB	Performance Type * Device class * Backup function * Backup features Multilingual support	NAS Small & Medium Business  Cloud, iSCSI LUN
* Installed storage drive type * Supported storage drive types *	HDD HDD & SSD	Web-based management Security algorithms Access Control List (ACL)	256-bit AES, FIPS 140-2, HTTPS, SNMP, SNMPv3, SSL/TLS
Processor		On/off switch	<b>*</b>
Processor family * Processor model * Processor frequency * Processor boost frequency Processor cores Processor threads Processor operating modes	AMD Ryzen™ 7 2700 3.2 GHz 4.1 GHz 8 16 64-bit	Built-in iTunes server Built-in FTP server Browser supported System log Hot spare S.M.A.R.T. support	✓ Chrome, Firefox, Internet Explorer 10+, Safari 7+ ✓ ✓
Memory		Share folder	CIFS/SMB
Internal memory * Internal memory type Maximum RAM supported Memory slots	16 GB DDR4 64 GB 4	Universal Plug and Play (UPnP)  Software  Operating system installed *  Operating system version	QNAP Turbo System 4.3.4
Network		Windows operating systems supported	Windows 10, Windows 7, Windows 8
Ethernet LAN * Ethernet LAN data rates Ethernet LAN data rate supported (max) Wi-Fi DHCP client	10,100,1000,10000 Mbit/s 10000 Mbit/s  ** ** ** ** ** ** ** * ** ** ** ** **	Linux operating systems supported  Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks

Network		Software	
HCP server   umbo frames support   CCSI support	Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016	
Wake-on-LAN ready	SSH, Telnet, HTTP(S), FTP, CIFS/SMB, AFP	Power	
Supported network protocols		Power supply location	Built-in
Ports & interfaces		Power supply unit (PSU) capacity	500 W
USB port *	✓	Number of power supply units  AC input voltage	2 100-240 V
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4	AC input frequency	50 - 60 Hz
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	1	Fan voltage Weight & dimensions	12 V
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1	Width *	481 mm
Fiber ports quantity	2	Depth *	573.5 mm
Fiber optic connector	SFP+	Height *	130 mm
Ethernet LAN (RJ-45) ports *	2	Packaging content	
PCI Express x4 (Gen 3.x) slots	2	Cables included	AC, LAN (RJ-45)
PCI Express x8 (Gen 3.x) slots	2	Quick installation guide	✓
		Number of screws	128
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	5 - 95%
		Other features	
		Digital Living Network Alliance (DLNA) certified	✓

