NETGEAR MS510TXUP network switch Managed L2/L3/L4 10G Ethernet (100/1000/10000) Power over Ethernet (PoE) Grey, Blue

Brand: NETGEAR Product code: MS510TXUP

Product name: MS510TXUP



8-Port Multi-Gigabit/10G Ethernet Ultra60 PoE++ Smart Managed Pro Switch with 2 SFP+ Ports NETGEAR MS510TXUP. Switch type: Managed, Switch layer: L2/L3/L4. Basic switching RJ-45 Ethernet ports type: 10G Ethernet (100/1000/10000), Basic switching RJ-45 Ethernet ports quantity: 8. Full duplex. MAC address table: 32000 entries, Switching capacity: 140 Gbit/s. Networking standards: IEEE 802.1D, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE 802.3x. Power over Ethernet (PoE). Rack mounting



Management features		Security	
• •	Managed L2/L3/L4	Security algorithms Loop protection	HTTPS, SSL/TLS ✓
Quality of Service (QoS) support	✓	Multicast features	
Web-based management	V	Multicast support	✓
Cloud-managed	*	Protocols	
Ports & interfaces		Management protocols	SNMP v1/v2c.SNMP v3
Basic switching RJ-45 Ethernet ports quantity *	8	Design	
Basic switching RJ-45 Ethernet ports type *	10G Ethernet (100/1000/10000)	Rack mounting *	Cray Plus
SFP+ module slots quantity	2	Product colour LED indicators	Grey, Blue Activity, Power, Speed
Network		Performance	
Networking standards * IEEE 802.1D, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE 802.3x 10G support * Copper ethernet cabling technology 1000BASE-T Port mirroring IEEE 802.1D, IEEE 802.1s, IEEE 802.3x IOOOBASE-T	Built-in processor Processor frequency Internal memory Flash memory	1000 MHz 256 MB 64 MB	
Full duplex	✓	Power	
Flow control support	✓	Power supply included *	1
Link aggregation	√	Power over Ethernet (PoE)	
Broadcast storm control	V	Power over Ethernet (PoE) *	1
Spanning tree protocol Ethernet LAN data rates	100,1000,2500,5000,10000 Mbit/s	Power over Ethernet (PoE) ports quantity	8
VLAN support Number of VLANs	2 56	Power over Ethernet (PoE) power per port	60 W
Data transmission		Operational conditions	
Switching capacity * MAC address table * Jumbo frames support Jumbo frames	140 Gbit/s 32000 entries ✓ 10000	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	0 - 50 °C -20 - 70 °C 0 - 95% 0 - 95%
Security		Operating altitude	0 - 3000 m
DHCP features	DHCP client, DHCP server	Non-operating altitude	0 - 3000 m
Access Control List (ACL)	✓	Weight & dimensions	
Access Control List (ACL) ingress	100	Width	330 mm
IGMP snooping	✓	Depth	206 mm

Weight & dimensions	
Height	43 mm
Logistics data	
Harmonized System (HS) code	85176990





606449152395

0606449152395

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.