## Brand : QNAP

Product code: TS-H886-D1622-16G/60TB-EXOS

××

Product name : TS-H886

- Four 2.5GbE ports accelerate file sharing across teams and devices, virtual machine applications or multimedia transmission

- DDR4 ECC memory detects and corrects single-bit memory errors, demonstrating high reliability for crucial applications

- Two M.2 NVMe Gen 3 x4 SSD slots (each slot providing up to 3.2 GB/s bandwidth) enable SSD caching to boost random read/write performance

- Two PCIe slots allow for 5GbE/10GbE/25GbE/40GbE adapters, QM2 cards, or entry-level graphics cards to increase application performance

- Scalable storage supporting virtual machines, containerized apps, centralized storage, backup, sharing, and disaster recovery

- QuTS hero combines ZFS advantages with the QTS App Center ecosystem to empower your business Xeon D-1622 2.6 GHz, 16 GB DDR4, 5GB, 6x 3.5" + 2x 2.5", 2x M.2, 4x 2.5G LAN, 3x USB 3.2,

231.9x292.9x319.8 mm

Storage		Performance	
StorageSupported storage drive interfacesStorage drive sizes supportedNumber of M.2 (M & B) slotsRAID support *RAID levelsOnline RAID migrationOnline RAID expansionRAID rebuildHot-swap drive baysSupported file systemsStorage drives installed *Total installed storage capacity *Number of storage drives supported		Multilingual support Noise level Snapshot Web-based management Security algorithms Access Control List (ACL) Reset button On/off switch Built-in FTP server Browser supported System log	20.4 dB 256-bit AES, AES, FIPS 140-2, HTTPS, SSH, SSL/TLS Apple Safari 7+, Google Chrome, Microsoft Internet Explorer 10+, Mozilla Firefox
* Installed storage drive type * Supported storage drive types * Bad block scan Disk roaming <b>Processor</b>	HDD HDD & SSD ✓	Hot spare S.M.A.R.T. support Share folder Universal Plug and Play (UPnP) USB copy function Software Operating system installed *	CIFS/SMB
Processor manufacturer * Processor family * Processor model * Processor frequency * Processor boost frequency Processor cores Processor threads Processor cache CPU configuration (max) PCI Express slots version	Intel Intel® Xeon® D D-1622 2.6 GHz 3.2 GHz 4 8 6 MB 1 2.0, 3.0	Operating system version Windows operating systems supported Linux operating systems supported Mac operating systems supported	4.5.0 Windows 10, Windows 7, Windows 8 ✓ Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina Windows Server 2008 R2, Windows Server 2012, Windows Server 2012
Processor lithography Processor operating modes Processor package size Scalability Tcase Tjunction Thermal Design Power (TDP) On-board graphics card model Maximum internal memory supported by processor	14 nm 64-bit 37.5 x 37.5 mm 1S 83 °C 105 °C 40 W Not available 128 GB	Server operating systems supported Power Power supply location Power supply unit (PSU) capacity Number of power supply units Power consumption (typical) AC input voltage AC input frequency	R2, Windows Server 2016, Windows Server 2019 Built-in 250 W 1 75.79 W 100 - 240 V 50 - 60 Hz

Memory		Weight & dimensions	
Internal memory type Maximum RAM supported Internal memory * Memory form factor	DDR4 128 GB 16 GB UDIMM	Width * Depth * Height * Weight	292.9 mm 319.8 mm 231.9 mm 8.5 kg
Flash memory	5000 MB	Packaging content	
Network		Cables included	AC, LAN (RJ-45)
Ethernet LAN *	<	Number of screws	32
Ethernet LAN data rates	10,100,1000,2500 Mbit/s	Processor special features	
DHCP client	4	Embedded options available	×
DHCP server		Enhanced Intel SpeedStep	1
Jumbo frames support Supported network protocols	✓ TCP/IP, HTTP/HTTPS	Technology	•
		Execute Disable Bit Idle States	
Ports & interfaces		Intel 64	
USB port * USB 3.2 Gen 1 (3.1 Gen 1) Type-A	1	Intel QuickAssist Technology	×
ports quantity	3	Intel Trusted Execution Technology	1
Ethernet LAN (RJ-45) ports *	4	Intel TSX-NI	1
PCI Express x8 (Gen 3.x) slots	2	Intel Virtualization Technology (VT- x)	✓
Design		Intel Virtualization Technology for	1
Chassis type *	Tower	Directed I/O (VT-d)	•
Cooling type * Product colour	Active Black, Grey	Intel VT-x with Extended Page Tables (EPT)	✓
Number of fans Fan diameter	3 fan(s) 8 cm	Intel® AES New Instructions (Intel® AES-NI)	∢
Fan diameter 2	9.7 cm	Intel® Hyper Threading Technology (Intel® HT Technology)	<
LED indicators Built-in display	HDD, SSD, Status	Intel® OS Guard	1
Cable lock slot	4	Intel® Secure Key	<b>v</b>
Cable lock slot type	Kensington	Intel® Turbo Boost Technology	2.0
Performance	<b>y</b> -	Maximum number of PCI Express lanes	32
Type *	NAS	Thermal Monitoring Technologies	1
Device class *	Large Enterprise Business	Memory types supported by processor	DDR3-SDRAM, DDR4-SDRAM
Backup function * Backup features	✓ Cloud, iSCSI LUN	Operational conditions	
Buzzer	✓	Operating temperature (T-T) Operating relative humidity (H-H)	0 - 35 °C 5 - 95%
		Logistics data	
		Harmonized System (HS) code	84714100
		Other features	
		viner reatures	

Processor ARK ID

193687

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.