QNAP TS-1655 NAS Tower Ethernet LAN Black C5125

Brand : QNAP

Product name : TS-1655

Intel Atom C5125, 8 GB DDR4, 5GB Flash, 12x 3.5" + 4x 2.5" SATA, 2x M.2, 2x RJ-45, 4x USB 3.2 Gen1 QNAP TS-1655. Total installed storage capacity: 264 TB, Installed storage drive type: HDD, Supported storage drive types: HDD & SSD. Processor family: Intel Atom®, Processor manufacturer: Intel, Processor model: C5125. Internal memory: 8 GB, Internal memory type: DDR4, Maximum RAM supported: 128 GB. Ethernet LAN data rates: 10,100,1000,2500 Mbit/s. Chassis type: Tower, Cooling type: Active, Product colour: Black

Product code: TS-1655-8G/264TB-REDPRO







Storage		Design	
5	Serial ATA II, Serial ATA III Serial ATA II, Serial ATA III	Cable lock slot Cable lock slot type	✔ Kensington
		Performance	NAC
RAID support * RAID levels Online RAID migration Online RAID expansion RAID rebuild Hot-swap drive bays Supported file systems Storage drives installed * Total installed storage capacity * Installed storage drive type * Supported storage drive types * Bad block scan Disk roaming	 , 1, 5, 6, 10, 50, 60, JBOD , <!--</td--><td>Type * Device class * Backup function * Backup features Buzzer Multilingual support Number of users Snapshot Management protocols Share folder access right management Security algorithms Access Control List (ACL) Reset button</td><td>NAS Small & Medium Business Cloud, USB drive, iSCSI LUN 4096 user(s) SNMP V2/V3 Solution 256-bit AES, FIPS 140-2, HTTPS, SSH, TLS 4</td>	Type * Device class * Backup function * Backup features Buzzer Multilingual support Number of users Snapshot Management protocols Share folder access right management Security algorithms Access Control List (ACL) Reset button	NAS Small & Medium Business Cloud, USB drive, iSCSI LUN 4096 user(s) SNMP V2/V3 Solution 256-bit AES, FIPS 140-2, HTTPS, SSH, TLS 4
Processor		On/off switch	1
Processor manufacturer * Processor family * Processor model * Processor frequency * Processor cores Processor threads	Intel Intel Atom® C5125 2.8 GHz 8 8	Built-in FTP server Browser supported System log Hot spare Password authentication Disk scan	 Apple Safari, Google Chrome, Microsoft Edge, Mozilla Firefox
Memory Internal memory type Maximum RAM supported	DDR4 128 GB	S.M.A.R.T. support Share folder USB copy function	✓ CIFS/SMB, AFP, NFS, FTP ✓
Memory slots	4 8 GB	Software	
Internal memory * Memory form factor ECC Flash memory	8 GB UDIMM ✓ 5000 MB	Operating system installed * Operating system version Windows operating systems supported	QNAP Turbo System 5.0.1 Windows 10, Windows 11, Windows 7, Windows 8
Network		Linux operating systems supported	1
Ethernet LAN *	4	Mac operating systems supported	1

Network		Software	
Ethernet LAN data rates1DHCP clientImage: ClientDHCP serverImage: ClientJumbo frames supportImage: ClientiSCSI supportImage: ClientWake-on-LAN readyImage: ClientDynamic DNS (DDNS)Image: Client	10,100,1000,2500 Mbit/s	Server operating systems supported	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
		Power	
		Power supply location Power supply unit (PSU) capacity	Built-in 550 W
Ports & interfaces		Power consumption (typical) Power consumption (HDD standby)	104.65 W 94.957 W
USB port * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	✓ 4	AC input voltage Fan voltage	100 - 240 V 12 V
Ethernet LAN (RJ-45) ports *	2	Weight & dimensions	
PCI Express x4 (Gen 3.x) slots Concurrent connections	3 700	Width * Depth *	369.9 mm 319.8 mm
Design		Height *	303.8 mm
Chassis type * Cooling type * Product colour Number of fans Fan diameter Fan diameter 2 Drive bay locking LED indicators	Tower Active Black 5 fan(s) 9.2 cm 9.7 cm ✓ HDD, LAN, M.2, Power, SSD, Status, USB	Packaging contentCables includedPower cables quantityNumber of screwsDrive tray key includedOperational conditionsOperating temperature (T-T)Operating relative humidity (H-H)Storage temperature (T-T)Storage relative humidity (H-H)	AC, LAN (RJ-45) 1 72 ✓ 0 - 40 °C 5 - 95% -20 - 70 °C 5 - 95%

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.