QNAP

QNAP TS-1273AU-RP-8G NAS Rack (2U) Ryzen Embedded V1500B 8 GB DDR4 168 TB HDD QNAP Turbo System Black

Brand : QNAP **Product code:** TS-1273AU-RP-8G/168TB-REDPLUS

Product name: TS-1273AU-RP-8G

AMD Ryzen Embedded V1500B, 8 GB UDIMM DDR4 (1 x 8 GB), 5 GB Flash, 12 x 3.5-inch SATA 2/3, 89 x 482 \times 425 mm, 300W (x2) PSU, 100 - 240V

QNAP TS-1273AU-RP-8G. Type: NAS. Chassis type: Rack (2U). Device class: Small & Medium Business. Processor family: Ryzen Embedded, Processor model: V1500B, Processor frequency: 2.2 GHz. Internal memory: 8 GB, Internal memory type: DDR4. Total installed storage capacity: 168 TB, Installed storage drive type: HDD. Operating system installed: QNAP Turbo System



Storage		Design	
Storage drive interface * Supported storage drive interfaces Storage drive size Storage drive sizes supported RAID support * RAID levels Online RAID migration Online RAID expansion RAID rebuild Hot-swap drive bays Supported file systems Storage drives installed * Total installed storage capacity * Number of storage drives installed * Number of storage drives supported * Installed storage drive type * Supported storage drive types * Bad block scan	12 HDD HDD & SSD ✓	Chassis type * Cooling type * Product colour Number of fans Fan diameter LED indicators Performance Type * Device class * Backup function * Backup features Buzzer Multilingual support Snapshot Web-based management Security algorithms Access Control List (ACL) Reset button On/off switch	Rack (2U) Active Black 2 fan(s) 8 cm HDD, LAN, Power, Status, USB NAS Small & Medium Business Cloud, iSCSI LUN 256-bit AES, FIPS 140-2, HTTPS, SNMPv2, SNMPv3, SSL/TLS Apple Safari 7+ Google Chrome
Processor manufacturer * Processor family * Processor model * Processor frequency * Processor cores Processor threads Memory	AMD Ryzen Embedded V1500B 2.2 GHz 4	Browser supported System log Hot spare Disk scan S.M.A.R.T. support Share folder	Apple Safari 7+, Google Chrome, Mozilla Firefox CIFS/SMB
Internal memory *	8 GB	Universal Plug and Play (UPnP)	1
Internal memory type Maximum RAM supported Memory slots Memory form factor Flash memory Network	DDR4 64 GB 2 DIMM 5000 MB	Operating system installed * Operating system version Windows operating systems supported Linux operating systems supported	QNAP Turbo System 4.4.2 Windows 10, Windows 7, Windows 8 Mac OS X 10.10 Yosemite, Mac OS X
Ethernet LAN * Ethernet LAN data rates DHCP client DHCP server Jumbo frames support	√ 100,1000,2500 Mbit/s √ √	Mac operating systems supported	10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur

Network		Software	
iSCSI support Wake-on-LAN ready Link aggregation	∀ ∀ ∀ ∀	Server operating systems supported	Windows Server 2008 R2, Window Server 2012, Windows Server 201 R2, Windows Server 2016, Window Server 2019
Load balancing system Dynamic DNS (DDNS)	1	Power	
WLAN adapter supported	1	Power supply location	Built-in
Ports & interfaces		Power supply unit (PSU) capacity Number of power supply units	300 W 2
USB port * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	√ 1	AC input voltage Fan voltage	2 100-240 V 12 V
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity Ethernet LAN (RJ-45) ports * PCI Express x4 (Gen 3.x) slots	1 2 2 2 2	Weight & dimensions	
		Width * Depth * Height *	482 mm 425 mm 89 mm
		Packaging content	
		Cables included Power cables quantity Number of screws	AC, LAN (RJ-45) 2 84
		Operational conditions	
		Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T) Storage relative humidity (H-H)	0 - 40 °C 5 - 95% -20 - 70 °C 5 - 95%

