QNAP

QNAP TS-1635AX NAS Desktop Marvell 8 GB DDR4 12 TB HDD QNAP Turbo System Black

Brand : QNAP **Product code:** TS-1635AX-8G-12TB-GLD

Product name: TS-1635AX

Marvell ARMADA 8040 ARMv8 Cortex-A72 quad-core 1.6 GHz, 8 GB DDR4, 2x RJ45, 4x USB 3.1, QTS 4.3.4, 12TB (WD Gold)

QNAP TS-1635AX. Type: NAS. Chassis type: Desktop. Device class: Small & Medium Business. Processor family: Marvell, Processor frequency: 1.6 GHz. Internal memory: 8 GB, Internal memory type: DDR4. Total installed storage capacity: 12 TB, Installed storage drive type: HDD. Operating system installed: QNAP Turbo System







Storage		Design	
Supported storage drive interfaces Serial ATA, Serial ATA II, III Storage drive size Storage drive sizes supported Storage drive sizes supported ARID support * RAID levels Hot-swap drive bays Supported file systems III Serial ATA, Serial ATA II, III 2.5/3.5" 2.5,3.5"	Serial ATA, Serial ATA II, Serial ATA III Serial ATA, Serial ATA II, Serial ATA III 2.5/3.5" 2.5,3.5" 0, 1, 5, 6, 10, 60, JBOD FAT32, HFS+, exFAT, ext3, ext4	Product colour Number of fans Fan diameter Fan diameter 2 LED indicators Built-in display Display type Cable lock slot Cable lock slot type Built-in speaker(s) Number of built-in speakers	Black 4 fan(s) 9.2 cm 6 cm LCD Kensington 1
Storage drives installed * Total installed storage capacity *	✓ 12 TB	Performance	
Number of storage drives installed * Number of storage drives supported * Installed storage drive type * Supported storage drive types * Processor Processor family * Processor frequency * Processor cores Processor architecture Memory Internal memory *		Type * Device class * Backup function * Backup features Buzzer Noise level Snapshot Web-based management Security algorithms Reset button On/off switch Browser supported	NAS Small & Medium Business Cloud, iSCSI LUN 23 dB 256-bit AES Apple Safari 7, Google Chrome, Microsoft Internet Explorer 10,
Internal memory type	DDR4	Network Time Protocol (NTP) client	Mozilla Firefox ✓
Maximum RAM supported	16 GB	Hot spare	1
Network Ethernet LAN * Ethernet LAN data rates Ethernet LAN data rate supported	10,100,1000,10000 Mbit/s	Software Operating system installed * Operating system version	QNAP Turbo System 4.3.4
(max) DHCP client	10000 Mbit/s	Power	
DHCP client DHCP server iSCSI support Wake-on-LAN ready	<i>d d d d</i>	Power supply unit (PSU) capacity Number of power supply units AC input voltage AC input frequency	250 W 1 100 - 240 V 50 - 60 Hz

Network		Power	
Dynamic DNS (DDNS)	✓	Fan voltage	12 V
Ports & interfaces		Weight & dimensions	
USB port * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity Fiber ports quantity Fiber optic connector Ethernet LAN (RJ-45) ports * 3.5 mm (1/8-inch) out	√ 3 2 SFP+ 2 √	Width * Depth * Height * Packaging content Cables included Quick installation guide	369.9 mm 319.8 mm 303.8 mm AC, LAN (RJ-45)
Design		Sustainability	
Chassis type *	Desktop	Sustainability certificates	RoHS
Cooling type *	Active	Operational conditions	
		Operating temperature (T-T) Storage temperature (T-T)	0 - 40 °C 5 - 95 °C
		Other features	
		Compliance certificates	RoHS

