QNAP

QNAP TS-1232XU-RP NAS Rack (2U) Annapurna Labs Alpine AL-324 4 GB DDR4 48 TB HDD QNAP Turbo System Black

Brand : QNAP **Product code:** TS-1232XU-RP-4G-48TB-GLD

Product name : TS-1232XU-RP

2U, 12-Bay, Alpine AL-324, Quad-Core, 1.7GHz, 64-bit, 4 GB DDR4, 512MB DOM, 2.5", 3.5", SATA III, RJ-45, SFP+, USB 3.0, PCIe 2.0x2,, 13kg, PSU ATX 250W, 48TB (WD Gold)
QNAP TS-1232XU-RP. Type: NAS. Chassis type: Rack (2U). Device class: Large Enterprise Business.
Processor family: Annapurna Labs, Processor model: Alpine AL-324, Processor frequency: 1.7 GHz.
Internal memory: 4 GB, Internal memory type: DDR4. Total installed storage capacity: 48 TB, Installed storage drive type: HDD. Operating system installed: QNAP Turbo System





Storero		Dagina	
Storage		Design	
Storage drive capacity *	4 TB	Fan diameter 2	7 cm
Storage drive interface *	Serial ATA III	LED indicators	V
Supported storage drive interfaces		Cable lock slot	√
Storage drive size	2.5/3.5"	Cable lock slot type	Kensington
Storage drive sizes supported	2.5,3.5"	Performance	
RAID support *	0.1.5.6.10.1000	Type *	NAS
RAID levels	0, 1, 5, 6, 10, JBOD	Device class *	Large Enterprise Business
Online RAID migration	V	Backup function *	1
Online RAID expansion	V	Backup features	Cloud, iSCSI LUN
RAID rebuild	V	Buzzer	1
Hot-swap drive bays	TATOO MEG. METER SAT. 12	Noise level	31.7 dB
Supported file systems	FAT32, HFS+, NTFS, exFAT, ext3, ext4	Snapshot	1
Storage drives installed *	✓	Web-based management	✓
Total installed storage capacity *	48 TB	Security algorithms	256-bit AES, HTTPS, SSH
Number of storage drives installed *		Access Control List (ACL)	✓
Number of storage drives supported	1	Reset button	✓
*	12	On/off switch	✓
Installed storage drive type *	HDD	Built-in iTunes server	✓
Supported storage drive types *	HDD & SSD	Built-in FTP server	✓
Bad block scan	✓	Browser supported	Apple Safari 7, Google Chrome, Microsoft Internet Explorer 10,
Processor			Mozilla Firefox
Processor family *	Annapurna Labs	System log	✓
Processor model *	Alpine AL-324	Hot spare	✓
Processor frequency *	1.7 GHz	Password authentication	√
Processor cores	4	S.M.A.R.T. support	√
Processor architecture	ARM Cortex-A57	Universal Plug and Play (UPnP)	✓
PCI Express configurations	2x2	Software	
PCI Express slots version	2.0	Operating system installed *	QNAP Turbo System
Processor operating modes	64-bit	Operating system version	4.3.4
Memory		Windows operating systems supported	Windows 10, Windows 7, Windows 8
Internal memory *	4 GB	• •	,
Internal memory type	DDR4	Linux operating systems supported	Mac OS X 10.7 Lion, Mac OS X 10.8
Maximum RAM supported	16 GB	Mac operating systems supported	Mountain Lion, Mac OS X 10.8
Memory slots	1	:	Mavericks
Flash memory	512 MB		

Network		Software	
Ethernet LAN * Ethernet LAN data rates Ethernet LAN data rate supported (max)	10,100,1000 Mbit/s 10000 Mbit/s	Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
Wi-Fi	×	Power	
DHCP client	7	Power supply location	Built-in
DHCP server	·	Power supply unit (PSU) capacity	250 W
Jumbo frames support	V	Number of power supply units	2
iSCSI support	✓	Redundant power supply (RPS)	✓
Wake-on-LAN ready	✓	support	
Dynamic DNS (DDNS)	✓	AC input voltage	100 - 240 V
Ports & interfaces		AC input frequency	50 - 60 Hz
USB port *	√	Fan voltage	12 V
USB 3.2 Gen 1 (3.1 Gen 1) Type-A		Output current	3.5 A
ports quantity	4	Weight & dimensions	
Fiber ports quantity	2	Width *	482 mm
Fiber optic connector	SFP+	Depth *	534 mm
Ethernet LAN (RJ-45) ports *	2	Height *	89 mm
Design		Weight	13 kg
Chassis type *	Rack (2U)	Packaging content	
Cooling type *	Active	Cables included	AC, LAN (RJ-45)
Product colour	Black	Quick installation guide	1
Number of fans	2 fan(s)	Number of screws	84
Fan diameter	7 cm	Sustainability	
		Sustainability certificates	RoHS
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	5 - 95%
		Other features	

