QNAP

QNAP TS-1677XU-RP NAS Rack (3U) AMD Ryzen™ 7 2700 16 GB **DDR4 160 TB HDD QNAP Turbo System Black**

Brand: QNAP Product code: TS-1677XU-RP-2700-16G-160TB-GLD



Product name : TS-1677XU-RP

TS-1677XU-RP, AMD Ryzen 7 2700, 16 GB DDR4, 16x 3.5" SATA III, 10G SFP+, RJ-45, USB 3.1, 3U, 130x481x573.5 mm

QNAP TS-1677XU-RP. Type: NAS. Chassis type: Rack (3U). Device class: Small & Medium Business. Processor family: AMD Ryzen™ 7, Processor model: 2700, Processor frequency: 3.2 GHz. Internal memory: 16 GB, Internal memory type: DDR4. Total installed storage capacity: 160 TB, Installed storage drive type: HDD. Operating system installed: QNAP Turbo System





Storage		Design	
Supported storage drive interfaces Storage drive sizes supported RAID support * RAID levels Online RAID migration	Serial ATA, Serial ATA II, Serial ATA III 2.5,3.5" ✓ 0, 1, 5, 6, 10, JBOD	Chassis type * Cooling type * Product colour Number of fans Fan diameter LED indicators	Rack (3U) Active Black 4 fan(s) 9.2 cm ✓
Online RAID expansion RAID rebuild	4	Performance	
Hot-swap drive bays Supported file systems Storage drives installed * Total installed storage capacity * Number of storage drives supported *	FAT32, HFS+, NTFS, ext3, ext4 160 TB 16	Type * Device class * Backup function * Backup features Multilingual support Web-based management	NAS Small & Medium Business Cloud, iSCSI LUN
Installed storage drive type * Supported storage drive types *	HDD & SSD	Security algorithms	256-bit AES, FIPS 140-2, HTTPS, SNMP, SNMPv3, SSL/TLS
Processor		Access Control List (ACL)	√
Processor family * Processor model * Processor frequency * Processor boost frequency Processor cores Processor threads Processor operating modes	AMD Ryzen™ 7 2700 3.2 GHz 4.1 GHz 8 16 64-bit	On/off switch Built-in iTunes server Built-in FTP server Browser supported System log Hot spare S.M.A.R.T. support Share folder	Chrome, Firefox, Internet Explorer 10+, Safari 7+
Memory		Universal Plug and Play (UPnP)	✓
Internal memory * Internal memory type Maximum RAM supported Memory slots	16 GB DDR4 64 GB 4	Software Operating system installed * Operating system version	QNAP Turbo System 4.3.4
Network		Windows operating systems supported	Windows 10, Windows 7, Windows 8
Ethernet LAN * Ethernet LAN data rates Ethernet LAN data rate supported (max) Wi-Fi DHCP client	10,100,1000,10000 Mbit/s 10000 Mbit/s X	Linux operating systems supported Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks

Network		Software	
DHCP server Jumbo frames support iSCSI support ✓	Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016	
Wake-on-LAN ready	SSH, Telnet, HTTP(S), FTP, CIFS/SMB, AFP	Power	
Supported network protocols		Power supply location	Built-in
Ports & interfaces		Power supply unit (PSU) capacity	500 W
USB port *	✓	Number of power supply units AC input voltage	2 100-240 V
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4	AC input frequency	50 - 60 Hz
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	1	Fan voltage Weight & dimensions	12 V
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1	Width *	481 mm
Fiber ports quantity	2	Depth *	573.5 mm
Fiber optic connector	SFP+	Height *	130 mm
Ethernet LAN (RJ-45) ports *	2	Packaging content	
PCI Express x4 (Gen 3.x) slots	2	Cables included	AC, LAN (RJ-45)
PCI Express x8 (Gen 3.x) slots	2	Quick installation guide	✓
		Number of screws	128
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	5 - 95%
		Other features	
		Digital Living Network Alliance (DLNA) certified	✓

