QNAP

QNAP TS-1635AX NAS Desktop Marvell 4 GB DDR4 48 TB HDD QNAP Turbo System Black

Brand : QNAP **Product code:** TS-1635AX-4G-48TB-GLD

Product name: TS-1635AX

Marvell ARMADA 8040 ARMv8 Cortex-A72 quad-core 1.6 GHz, 4 GB DDR4, 2 x RJ45, 4 x USB 3.1, QTS 4.3.4, 48TB (WD Gold)

QNAP TS-1635AX. Type: NAS. Chassis type: Desktop. Device class: Small & Medium Business. Processor family: Marvell, Processor frequency: 1.6 GHz. Internal memory: 4 GB, Internal memory type: DDR4. Total installed storage capacity: 48 TB, Installed storage drive type: HDD. Operating system installed: QNAP Turbo System







Storage		Design	
Storage drive capacity * Storage drive interface *	3 TB Serial ATA, Serial ATA II, Serial ATA III	Fan diameter Fan diameter 2 LED indicators	9.2 cm 6 cm ✓
Supported storage drive interfaces Storage drive size Storage drive sizes supported Number of M.2 (M & B) slots RAID support * RAID levels	Serial ATA, Serial ATA II, Serial ATA III 2.5/3.5" 2.5,3.5" 2 ✓ 0, 1, 5, 6, 10, 60, BOD	Built-in display Display type Cable lock slot Cable lock slot type Built-in speaker(s) Number of built-in speakers	LCD Kensington 1
Hot-swap drive bays	✓	Performance	
Supported file systems Storage drives installed * Total installed storage capacity * Number of storage drives installed * Number of storage drives supported * Installed storage drive type * Supported storage drive types * Processor Processor family * Processor frequency * Processor cores Processor architecture		Type * Device class * Backup function * Backup features Buzzer Noise level Snapshot Web-based management Security algorithms Reset button On/off switch Built-in FTP server Browser supported	NAS Small & Medium Business Cloud, iSCSI LUN 23 dB 256-bit AES Apple Safari 7, Google Chrome, Microsoft Internet Explorer 10,
Memory		Hot spare	Mozilla Firefox
Internal memory * Internal memory type Maximum RAM supported	4 GB DDR4 16 GB	Software Operating system installed *	QNAP Turbo System
Network		Operating system version	4.3.4
Ethernet LAN * Ethernet LAN data rates Ethernet LAN data rate supported (max)	10,100,1000,10000 Mbit/s 10000 Mbit/s	Windows operating systems supported Linux operating systems supported Mac operating systems supported	1 1 1
DHCP client	✓	Power	
DHCP server iSCSI support	1	Power supply unit (PSU) capacity Number of power supply units	250 W 1

Network		Power	
Wake-on-LAN ready Dynamic DNS (DDNS)	√	AC input voltage AC input frequency	100 - 240 V 50 - 60 Hz
Ports & interfaces		Fan voltage	12 V
USB port * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity Fiber ports quantity Fiber optic connector Ethernet LAN (RJ-45) ports * 3.5 mm (1/8-inch) out	✓32SFP+2✓	Weight & dimensions	
		Width * Depth * Height *	369.9 mm 319.8 mm 303.8 mm
		Packaging content	
		Cables included Quick installation guide	AC, LAN (RJ-45) ✓
Design			•
Chassis type *	Desktop	Sustainability	
Cooling type *	Active	Sustainability certificates	RoHS
Product colour	Black	Operational conditions	
Number of fans	4 fan(s)	Operating temperature (T-T) Storage temperature (T-T)	0 - 40 °C 5 - 95 °C
		Other features	
		Compliance certificates	RoHS

