


## Operational Instructions

1. Connect the AC power cord into the AC input port of your charger.
2. Insert the other end of the AC power cord into a wall AC outlet.
3. Insert the USB-C connector into the power port of your laptop computer.



- 3 -

## Important Safety Information

This safety guide is to help you operate your laptop charger safely, to ensure your personal safety and reduce the risk of fire, electric shock or injury.

1. Do not apply external force on the power cable.
2. Do not unplug by pulling the power cable.
3. Do not connect coiled, twisted, damaged or frayed cable to the power supply.
4. Do not place the cord or device near heating elements.
5. Do not bend the blade or pins of the plug.
6. If there is any strange sound, smoke or odour, disconnect immediately.
7. Do not attempt to disassemble or repair the GaN charger.
8. Do not put any sharp objects into the venting holes of the product. (It may cause fire or electric shock)
9. Ensure to plug-in the product fully before use.
10. Do not to use if the cable is damaged. (It may cause fire or electric shock)
11. Ensure the product is well ventilated during use.
12. Please ensure the charger and related components are kept dry and away from water.
13. Do not expose the GaN charger to prolonged sunlight / sources of heat or flammable materials.
14. Keep out of reach of children.
15. Don't unplug the power cord with a wet hand. (It may cause electric shock)
16. Unplug the power cord if you don't use the product for a long time. (It may cause heat, fire, and electric shock)

- 4 -



## HyperPower®

### 65W Universal Type-C Power Supply



User Manual

## Product Features

1. Gallium Nitride 'GaN' components provide improved efficiency and ultra-compact / light-weight design.
2. Supports PD fast charging with a maximum power output of up to 65W.
3. Qualcomm® Quick Charge 4+ and 3.0 Power Delivery.
4. UK and EU Plugs and USB Type-C to Type-C Cable included.
5. Thermal, Over-Voltage and Short Circuit Protection.


## Product Specification

Model: HYP-USBCPSU-65W  
Input: AC 100-240V 1.5A 50/60Hz  
Output: (PD3.0/QC4+) DC 5V3A, 9V3A, 12V3A, 15V3A, 20V3.25A (MAX)  
Power: 65W MAX  
Dimensions: 76\*46\*22 mm  
Net Weight: 117g

- 1 -

## Box Includes

1. USB-C GaN Charger
2. UK and EU Power Leads
3. USB-C Charge Cable
4. User Manual



- 2 -

Here by Hypertec Ltd declares that this device is in compliance with the requirements of Directive 2014/30/EU (EMC), Directive 2014/35/EU (LVD) and the Directive 2011/65/EU for RoHS compliance. The complete declaration of conformity can be requested by post under the below mentioned manufacturer address.

## Warning

This device is a class B product. This equipment may cause radio interference, should this happen please contact Hypertec Ltd via the details below.

**Hypertec Ltd**  
Unit E Aerial Business Park  
Lambourn Woodlands  
Hungerford  
Berkshire  
RG17 7RZ  
UK

For more information visit:  
[www.hypertec.limited](http://www.hypertec.limited)  
[info@hypertec.co.uk](mailto:info@hypertec.co.uk)

- 5 -