

# 615511 Cat.6 S/FTP Patch Cable, 0.15m , White

## Product Images



## Short Description

- 4 x 2 AWG 28/7
- 250MHz performance Bandwidth
- Suitable for PoE, PoE+
- Stranded bare copper conductor
- Foil and braid shield Reduces EMI/RFI interference
- PIMF (Pairs in metal Foil)
- Molded boot with Strain relief
- RoHS compliant
- Low Smoke Zero Halogen (LSZH/LSOH)
- Compliant with ISO/IEC 11801 and EN 50173

## Description

---

The equip® Cat.6 S/FTP Patch Cord is composed of high-quality materials and fully-examined to conform with industrial standards. Offering higher bandwidth and better signal-to-noise margin, the Cat.6 cable is able to deliver ultrahigh and error-free performance in the most demanding network environments.

## Additional Information

---

|                         |                         |
|-------------------------|-------------------------|
| Color                   | White                   |
| EAN                     | 4015867234501           |
| Model Number            | 615511                  |
| Flat cable              | No                      |
| Shielded                | Yes                     |
| Shielding               | S/FTP                   |
| Cable Length            | 0.15m                   |
| Connector 1             | RJ45 male               |
| Connector 2             | RJ45 male               |
| Approval and Compliance | RoHS                    |
| Package Contents        | Cat.6 S/FTP Patch Cable |
| Cable length            | 0.15m                   |
| Dimensions (W x D x H)  | 11 x 15 x 150 mm        |
| Product weight (kg)     | 0.0122                  |
| Category                | Cat.6                   |
| Conductor material      | Copper                  |
| Conductor size (AWG)    | 28AWG                   |
| Jacket material         | LSZH                    |

