

# ETTA04B12 USB 4.0 Gen 3 C-C PD 3.1 240W Cable 1.2M, 48V 5A, 40Gbps, 8K60Hz, E-Mark

## Product Images



## Short Description

- USB-C male to USB-C male cable
- With E-mark chipset
- USB Power Delivery (PD) 3.1
- Power Delivery support up to 48V/5A, max. 240W
- USB4 technology with 40Gbps bandwidth, backwards compatible with USB 3.2, USB 2.0 and Thunderbolt 3
- Supports resolutions up to 8K at 60Hz
- Robust and flexible braided cable for extended durability

## Description

---

Introducing the Conceptronic USB-C cable, your ultimate solution for charging and data transfer! Engineered with cutting-edge PD 3.1 technology and equipped with an E-Mark chipset, this cable delivers a powerful charge of up to 240W (48V/5A), ensuring the safe and efficient charging of your devices. Its durable braided design can withstand twists and tugs, making it ideal for use in tight spaces or on-the-go situations. Additionally, with USB4 technology boasting a 40Gbps bandwidth and backward compatibility with USB 3.2, USB 2.0, and Thunderbolt 3, you can enjoy seamless connectivity across various devices. With support for resolutions up to 8K at 60Hz, the Conceptronic USB-C cable ensures crystal-clear display quality for your multimedia needs. Whether you're at home, in the office, or on the move, the Conceptronic USB-C cable is your dependable companion for all your connectivity needs, providing you with a seamless and efficient experience every time.

## Additional Information

---

Color	Black
EAN	4015867237946
Model Number	ETTA04B12
Angled Plug	No
Shielded	No
Operating temperature	-40°C ~ 85°C
Package Contents	ETTA04B12
Cable Length	1.2m
Dimensions (W x D x H)	4 x 4 x 1200 mm
Product weight (kg)	0.09
USB Power Delivery (PD)	PD 3.1 (240W)
USB Version (Speed)	USB 4.0 (20/40Gbps)

