


# EQUIP SLIM FLEX 19' CABINET, 5U, RAL7035 GREY

## Product Images





## Short Description

---

- 3U+2U cabinet, designed for optimal performance in every space
- Mountable Network Cabinet
- Ships preassembled for easy setup at your location
- The cabinet comes with a robust steel frontdoor to prioritize security and long-lasting durability

## Description

---

The Slim Flex Wall Mounting Cabinets are ideal for housing both active and passive components. Designed for simplicity, they enable swift and hassle-free installations. Their contemporary design seamlessly blends into office or home settings. Users are presented with dual installation options: The front side features a versatile 3U rail that can rotate vertically, be set horizontally, or even angled. The rear side has a fixed 2U rail, suitable for passive network components, for instance. The lower housing area has pre-punched mounting holes to accommodate non-rack-mountable equipment like DSL routers. Alternatively, a device mounting plate can be added, which is available separately.



|                             |                   |
|-----------------------------|-------------------|
| Assembly required           | No                |
| Preassembled                | Yes               |
| Soundproof                  | No                |
| Castor wheels               | No                |
| Type                        | Wall mounted rack |
| Rack capacity               | 3U+2U             |
| Removable back door         | No                |
| Removable front door        | No                |
| Back door construction      | Steel             |
| Front door construction     | Steel             |
| Side panel construction     | Steel             |
| Side panel key lock         | No                |
| Back door key lock          | No                |
| Front door key lock         | Yes               |
| Side panels included        | No                |
| Rack rail thickness         | 1.5 millimeter    |
| Stabilizing foot screw      | No                |
| Adjustable stand            | Yes               |
| Monitoring                  | No                |
| Main PDU                    | No                |
| Product design              | 2-Post            |
| Cooling type                | Passive           |
| Door opening angle          | 80 degree         |
| Mounting hole shape         | Square            |
| Removable side panels       | No                |
| Number of layers per pallet | 11 piece          |
| Pallet gross weight         | 541000 gram       |
| Harmonized System (HS) code | 853710980019      |
| Carbon footprint            | 1.4535 kilogram   |

|                           |                |
|---------------------------|----------------|
| Quantity per pallet       | 50 piece       |
| Sustainability compliance | Yes            |
| Screws included           | No             |
| Wall mounting kit         | Yes            |
| Temperature sensor        | No             |
| Quantity per pack         | 50 piece       |
| Plinth panel              | No             |
| Nuts included             | No             |
| Package depth             | 500 millimeter |
| Package height            | 160 millimeter |
| Package width             | 520 millimeter |
| Grounding kit             | No             |
| Quick installation guide  | Yes            |
| Package weight            | 2000 gram      |
| Adjustable feet           | No             |
| Adjustable depth          | Yes            |
| Cable management          | No             |
| Color                     | Light Grey     |
| EAN                       | 4015867232606  |
| Model Number              | ESF-05-G       |

