



TS-1264U-RP-8G			
CPU	Intel® Celeron® N5095 4-core/4-thread processor, burst up to 2.9 GHz		
CPU Architecture	64-bit x86		
Graphic Processors	Intel® UHD Graphics		
Floating Point Unit	Yes		
Encryption Engine	Yes (AES-NI)		
Hardware-accelerated Transcoding	Yes		
System Memory	8 GB RAM		
Maximum Memory	8 GB		
Flash Memory	4GB (Dual boot OS protection)		
Drive Bay	12 x 3.5-inch SATA 6Gb/s, 3Gb/s		
Drive Compatibility	3.5-inch bays: 3.5-inch SATA hard disk drives 2.5-inch SATA solid state drives		
Hot-swappable	Yes		
M.2 Slot	Optional via a PCIe adapter		
SSD Cache Acceleration Support	Yes		
2.5 Gigabit Ethernet Port (2.5G/1G/100M)	2 (2.5G/1G/100M/10M)		
5 Gigabit Ethernet Port (5G/2.5G/1G/100M)	Optional via PCIe expansion card		
10 Gigabit Ethernet Port	Optional via PCIe expansion card		
	Optional via PCIe expansion card		
Wake on LAN (WOL)	Yes		
Jumbo Frame	Yes		

PCIe Slot	1 Slot 1: PCIe Gen 3 x2			
	Card dimensions for PCIe slot: 160 x 68.9x 28.76 mm / 6.3 x 2.71 x 1.13 inches.			
USB 2.0 port	2			
USB 3.2 Gen 2 (10Gbps) Port	2 x Type A USB 3.2 Gen2			
HDMI™ Output	1, HDMI™ 1.4b			
Form Factor	2U Rackmount			
LED Indicators	HDD 1-12, Status, LAN, Expansion, Power			
Buttons	Power, Reset			
Dimensions (HxWxD)	88.6 × 432 × 370.7 mm			
Weight (Net)	10.64 kg			
Weight (Gross)	14.01 kg			
Operating Temperature	0 - 40 °C (32°F - 104°F)			
Storage Temperature	-20 - 70°C (-4°F - 158°F)			
Relative Humidity	5-95% RH non-condensing, wet bulb: 27°C (80.6°F)			
Power Supply Unit	300W (x2), 100-240V			
Power Consumption: HDD Sleep Mode	37.854 W			
Power Consumption: Operating Mode, Typical	70.913 W			
	Tested with drives fully populated.			
Fan	2 x 80mm, 12VDC			
System Warning	Buzzer			
Standard Warranty	3			
Max. Number of Concurrent Connections (CIFS) - with Max. Memory	1500			

Note: Use only QNAP memory modules to maintain system performance and stability. For NAS devices with more than one memory slot, use QNAP modules with identical specifications and refer to the hardware user manual to install compatible QNAP memory modules.

Warning: Using unsupported modules may degrade performance, cause errors, or prevent the operating system from starting. QNAP reserves the right to replace partial parts or accessories if the original is no longer available from its manufacturer/supplier. Any replacement would be fully tested and verified to meet strict compatibility and stability guidelines and will deliver identical performance to the original.

The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

Product images are for illustrative purposes only and may differ from the actual product. Due to differences in monitors, colors of products may also appear different to those shown on the site.

Designs and specifications are subject to change without notice.