



OMNIKEY PRODUCT GUIDE

VERSION 1.1



A Universal Approach...



CONTACT (SINGLE INTERFACE)

| Product Image | Product Name | MFR Part Number | Product Description |
|---------------|----------------------------|---|---|
| | Omnikey® 3021 USB | R30210315-1 | USB 2.0, EMV, Transparent/Silver Housing |
| 3 | Omnikey® 3121 USB | R31210320-1 | USB 2.0, EMV, CCID, Standard Standing Base |
| | Omnikey® 3121 USB | R31210320-1 + Accessory A00000002 | (Heavy Standing Base) USB 2.0, EMV, CCID, Heavy Standing Base (100g) and Middle Piece, TAA Com- pliant |
| | Omnikey® 3121 USB | R31210320-1 + Accessory A00000003 | (Jumbo Standing Base) USB 2.0, EMV, CCID, Jumbo Standing Base (431g) and Middle Piece |
| To de | Omnikey® 2061 Bluetooth | R20610000-1 | Bluetooth Connected Contact Smartcard Reader, Lanyard Attachable, Two Belt-Clips, USB Charging Cable |
| B (I) | Omnikey® 6121 USB | R61210320-2 | EMV, CCID, ISO 7816 SIM-Size (ID- 000) Contact Slot, USB 2.0, Key- Ring Attachable |



CONTACTLESS (SINGLE INTERFACE)

| Product Image | Product Name | MFR Part Number | Product Description |
|---------------|--|-----------------|---|
| | Omnikey® 5321 CR - TAA Compliant | R5320229-1 | (Clean Room), USB 2.0, Contactless Only (13.56 MHz) Reader (Closed Housing) |
| HID | Omnikey® 5021 CL | R550210218-x | USB 2.0, Contactless Ony (13.56 MHz reader (Closed Housing), Available in Blue, Anthracite, Dark Grey, Red & Dark Blue, Seamless IIntegration into HID on Desktop |
| HID | Omnikey® 5022 CL | R50210318-xx | Contactless Only (13.56 MHz) reader, CCID Compliant, Available in Multiple Colours, Optional Card Retainer |
| | Omnikey® 5025 CL | R50250001-GR | Contactless (125 kHz) Desktop Reader for HID Prox Credentials, CCID, 5325CL Compatibility, For Traditional, Thin & Zero Clients |

CONTACTLESS (DUAL FREQUENCY)

| Product Image | Product Name | MFR Part Number | Product Description |
|---------------|----------------------|-----------------|--|
| | Omnikey® 5427 CK | R54270001 | USB 2.0, Removable Card Retainer, CCID, Dual Frequency (13.56 MHz & 125 kHz), DTK Available |
| | Omnikey® 5326 DFR | R53260001-1 | USB 2.o, CCID Compiant, Dual Frequency Support (13.56MHz & 125 kHz), HID iClass, iCLASS SE & HID Prox Support |



CONTACT/CONTACTLESS (MULTI-INTERFACE)

13.56 MHZ TECHNOLOGY

| Product Image | Product Name | MFR Part Number | Product Description |
|---------------|----------------------|-----------------|--|
| | Omnikey® 5421 USB | R54210001 | USB 2.0, Contactless (13.56 MHz) & Contact Reader, Grey Housing, Optional Card Retainer |
| HID | Omnikey® 5022 CL | R50220318 | USB 2.0, Contactl, Weight = 70g, Mounting Accessories Kit Available |
| | Omnikey® 5321 PAY | R53210021 | USB 2.0, Contactless (13.56MHz) & SIM Sized Contact Reader, Transparent Card Retainer, Payment Standard EMVCo CL 2.0 Certified |



TAA COMPLIANT READERS

CONTACT READERS (SINGLE INTERFACE)

| Product Image | Product Name | MFR Part Number | Product Description |
|---------------|---|---|---|
| | Omnikey® 3021 USB - TAA Compliant | R30210209-1 | USB 2.0, EMV, CCID, Transparent Housing, TAA Compliant |
| | Omnikey® 3121 USB - TAA Compliant | R31210349-1 | USB 2.0, EMV, CCID, Standard Standing Base, TAA Compliant |
| | Omnikey® 3121 USB - TAA Compliant | R31210349-1 + Accessory A00000002 | (Heavy Standing Base) USB 2.0, EMV, CCID, Heavy Standing Base (100g) & Middle Piece, TAA Compliant |
| | Omnikey® 3121 USB - TAA Compliant | R31210349-1 + Accessory A00000003 | (Jumbo Standing Base) USB 2.0, EMV, CCID, Jumbo Standing Base (431g) & Middle Piece, TAA Compliant |

CONTACTLESS READERS (SINGLE-INTERFACE)

| Product Image | Product Name | MFR Part Number | Product Description |
|---------------|--|-----------------|---|
| | Omnikey® 5321 CR - TAA Compliant | R53210229-1 | (Clean Room) USB 2.0, Contactless (13.56 MHz) Reader (Closed Housing), Waterproof Casing IP67, TAA Compliant |



TAA COMPLIANT READERS

CONTACT/CONTACTLESS READERS (MULTI-INTERFACE)

| Product Image | Product Name | MFR Part Number | Product Description |
|---------------|---|-----------------|---|
| | Omnikey® 5421 USB - TAA Compliant | R54210010 | USB 2.0, Contactless (13.56 MHz) & Contact Reader, TAA Compliant, Grey Housing |
| | Omnikey® 5025 CL | R50250001 | USB 2.0, HID Prox, Weight = 100g, Full CCID, Available in Blue, Dark Blue, Green, Orange or Red |
| | Omnikey® 5325 | R53250009-1 | Transparant Card Retainer, EMV, CCID, USB 2.0, Dual Colour LED |

READER BOARDS

| Product Image | Product Name | MFR Part Number | Product Description |
|---------------|--|-----------------|--|
| | Omnikey® 3121 Reader Board | R31210129 | Driver Platform Identical to Housed Product, High Speed Data Transmission, CardMan Smart Link Chipset |
| | Omnikey® 5121 Reader Board | R51210049-2 | USB 2.0, Up To 424 Kbps Transmission Rate, Supports iCLASS®, MIFARE DESFire & MIFARE Classic, Small PCB |
| | Omnikey® 5127CK Mini CCID & Keyboard Wedge Reader Board | R51270010 | CCID Support, Keyboard Wedge Support, Dual Frequency & Bluetooth Mobile Access, USB 2.0 - Also Compliant with USB 1.1 |
| | Omnikey® 5127CK Mini CCID & Keyboard Wedge with Housing | R51270020 | USB 2.0, Multi-Interface Support, Dual Frequency & Bluetooth Mobile Access, Compact Design, Industrial Housed Option - Also Compliant with USB 1.1 |



ACCESSORIES

| Product Image | Product Name | MFR Part Number | Product Description |
|---------------|---|-----------------|--|
| | Heavy Standing Base Omnikey | A0000002 | Heavy Standing Base, Middle Piece, Weight = 100g |
| 6 | Jumbo Standing Base Omnikey | A000003 | Jumbo Standing Piece, Middle Piece, Weight = 431g |
| | Mounting Accessory Pack (for Omnikey 5021 & 5427) | A50210001 | Mounting Jacket for Screw-On Mounting, Mounting Jacket Cam- era, Adhesive Strips for Mounting, 10 Pieces |
| | Card Retainer (for Omnikey 5021 CL) | A50210002 | Transparent Card Retainer for Card-Present Operation, Reader Not Included, 10 Pieces |
| | Card Retainer (for Omnikey 5427) | A54210001 | Transparent Card Retainer for Card-Present Operation, Reader Not Included, 10 Pieces |
| | Vertical Standing Base (for Omnikey 5427) | A54270001 | Standing Base for Vertical Card Operation (Black), Reader Not Included, Weight = 90g, 1 Piece |
| | Vertical Standing Base (for Omnikey 5421) | A54270001 | Standing Base for Vertical Card Operation (Grey), Reader Not Included, Weight = 90g, 1 Piece |
| | Omnikey 50xx Cover Bag | A50210003 | Bag with Covers, 6 Different Colours to Omnikey 50xx Housing, Reader Not Include ed, 1 Size Bag, Colours include Blue, Dark Blue, Green, Anthracite, Orange, Red |

For questions and quotes, CONTACT US

+44 (0)208 953 0033 sales@usmartcards.com