



# 605624 Cat.6A Platinum S/FTP Patch Cable, 5.0m , Red

**Product Images** 







1 1/27/23





#### **Compliance Statement**

Screened Category 6A ISO/IEC, EN & ANSI/TIA Communication Cable

### **Short Description**

- 1. 4 x 2 AWG 26/7
- 2. 500MHz performance Bandwidth
- 3. Transmission: 10Gbit
- 4. Suitable for PoE, PoE+, PoE++
- 5. Stranded bare copper conductor
- 6. Foil and braid shield Reduces EMI/RFI interference
- 7. PIMF (Pairs in metal Foil)
- 8. Molded boot with Strain relief
- 9. RoHS compliant
- 10. Low Smoke Zero Halogen (LSZH/LSOH)
- 11. with 3P certificate and UL listed
- 12. Compliant with ISO/IEC 11801 and EN 50173

#### Description

Cat.6A Pro S/FTP Patch Cord is composed of preeminent materials and fully-examined to Cat.6A Platinum S/FTP Patch Cord is composed of preeminent materials and fully-examined to conform with industrial standards. Offering higher bandwidth and better signal-to-noise margin, the Cat.6A cable is able to deliver ultrahigh and error-free performance in the most demanding network environments, specially for 10G application.

## **Additional Information**

Approval and complianceRoHS, 3PConductor materialCopperConductor size (AWG)26AWGJacket materialLSZHCategoryCat.6AFlat cableNo

| Shielded               | Yes                    |
|------------------------|------------------------|
| Product weight (kg)    | 0,198                  |
| Cable length           | 5m                     |
| Color                  | Red                    |
| EAN                    | 4015867152447          |
| Model number           | 605624                 |
| Package contents       | 605624                 |
| Cable Length           | 5.0m                   |
| Shielding              | S/FTP                  |
| Connector 1            | RJ45 male              |
| Connector 2            | RJ45 male              |
| Dimensions (W x D x H) | 8.34 x 11.68 x 5000 mm |

