



WAN-2182 Version: 1

18dBi 2.4GHz Directional Panel Antenna

The LevelOne WAN-2182 is a directional antenna for increased performance and reduced interference, operating on the 2.4 GHz frequency. WAN-2182 can be mounted either indoors or outdoors. The antenna's gain value is 18dBi, and if mounted outdoors the weatherproof housing can withstand temperatures from minus 30°C up to 60°C, as well as rain, snow, dust and other harsh conditions.

Key Features

- Provides 18dBi directional operation
- Directional operation provides extended point to point coverage
- For IEEE 802.11b/g/n/ac Wireless applications in 2.4GHz frequency range
- Low wind loading
- -40°C to 70°C operating temperature range

Specifications

System Specifications

Connectors and Cabling:

N Female

Impedance (Ohms):

50 Ohms

HPBW / Horizontal:

25.8°

HPBW / Vertical:

20.7°

VSWR:

? 2.0

Polarization:

Vertical

Wireless

Frequency Band:

2.4GHz

Performance



Return Loss:
? -10

Environment

Temperature (°C):
-30? ~ +60?

Humidity (Non-condensing):
95% @ 55°C

Physical Specifications


Dimensions (W x D x H mm):
330*295*35 mm

Weight (g):
1044g

Reliability

Survival Wind Speed:
50m/s

Diagram



Order Information

WAN-2182

Package Contents

WAN-2182
Pole Mount Kit
Quick Installation Guide

Optional Accessory



ANC-4130

3m 400 Series N Plug to N Jack Antenna Cable



ANC-4160

6m 400 Series N Plug to N Jack Antenna Cable

No liability or responsibility for any errors or omissions in the content.
Specifications are subject to change without notice.
All mentioned brand names are registered trademarks and property of their owners.
Copyright © Digital Data Communications GmbH, Germany. All Rights Reserved.