

ALTHEA04B 4-Port 25W USB Charger, USB-A x 4

Product Images



Short Description

- **Dedicated Port Connector:** Equipped with 4 USB-A ports, each providing DC 5.0V/2.4A,

offering up to 25W of total power and high-speed charging for a wide range of devices with varying power requirement.

- **Enhanced Safety Features:** Built-in protections against overload, short circuiting, and overheating, ensuring the safety of both the charger and connected devices.

Description

Equipped with 4 USB-A ports, each providing DC 5.0V/2.4A, this charger offers up to 25W of total power, ensuring high-speed charging for a wide range of devices with varying power requirements. Enhanced safety features include built-in protections against overload, short-circuiting, and overheating, ensuring the safety of both the charger and the connected devices.

Additional Information

Number of outputs	4
USB Type-A ports quantity	4
Programmable power supply (PPS) (YES/NO)	No
Housing Material	Polycarbonate (PC)
Number of simultaneously connected devices (max)	4
Port 1 Power Output	DC 5.0V/2.4A
Port 2 Power Output	DC 5.0V/2.4A
Port 3 Power Output	DC 5.0V/2.4A
Port 4 Power Output	DC 5.0V/2.4A
Power Plug Type	EU
Package Depth	164 millimeter
Package Height	96 millimeter
Package Width	32 millimeter
Package Weight	10 gram
Harmonized System (HS) code	850440
Sustainability compliance	No
Package Content	Quick installation guide
Operating temperature (T-T) Max	40 celsius
Operating temperature (T-T) Min	0 celsius
Storage relative humidity (H-H) Max	90%
Storage relative humidity (H-H) Min	10%
Operating relative humidity (H-H) Max	80%
Operating relative humidity (H-H) Min	20%
Storage temperature (T-T) Max	80 celsius
Storage temperature (T-T) Min	-20 celsius

Color	Black
EAN	4015867209295
Model Number	ALTHEA04B
Maximum AC Input	240 volt
Minimum AC Input	100 volt
Input current	0.8 ampere
Maximum power	25 watt
Icecat_Power protection features	Over current, Over power, Short circuit
Product Height	28.5 millimeter
Product Width	59 millimeter
Product Depth	94.6 millimeter
Product Weight	75 gram

