

119253 DisplayPort 1.4 Cable, 3.0m

Product Images





Short Description

- 2. DisplayPort Male to Male
- 3. Supports video resolutions up to 8K/60Hz, 4K/120Hz
- 4. Gold Plated Connectors for high signal quality
- 5. Downwards compatible to DisplayPort 1.1, 1.2 and 1.3
- 6. Transmission of audio and video signals
- 7. Compliant with VESA certified
- 8. DisplayPort DP 8K certified cable
- 9. Bandwidth up to 32.4Gbps
- 10. Supports HDCP 1.4 and 2.2
- 11. Supports HDR (High Dynamic Range)
- 12. Supports DSC (Display Stream Compression)
- 13. Supports MST (Multi Stream Transport)
- 14. Resolution up to below (depend on system and connector hardware)

Data transfer without DSC (display stream compression).

8k: 7680 x 4320 @ 30 Hz. 5k: 5120 × 2880 @ 60 Hz. 4k: 3840 x 2160 @ 144 Hz. 2k: 2560 x 1440 @ 240 Hz. 1080P: 1920 x 1200 @ 240 Hz.

Data transfer with DSC support. (display stream compression).

8k: 7680 x 4320 @ 60 Hz (DSC). 5k: 5120 × 2880 @ 120 Hz (DSC). 4k: 3840 x 2160 @ 240 Hz (DSC).

Description

The equip® DisplayPort Cable is a digital audio and video cable, designed primarily for connections between computer and its display monitor, or a computer and a home-theater system. Intended to replace VGA, DVI and HDMI cables, By supporting a maximum bandwidth of 32.4 Gbps, content up to 8K Ultra HD (7680 x 4320 @ 60 Hz) resolution can be displayed.

Additional Information

Approval and compliance RoHS

Conductor material Copper Jacket material PVC Product weight (kg) 0,172 Cable length 3m Color Black

EAN 4015867223864

Model Number 119253 Package contents 119253 Cable Length 3.0m

Connector 1 DisplayPort, male
Connector 2 DisplayPort, male
Dimensions (W x D x H) 7 x 7 x 3000 mm

