



IGU-0501, 5-Port Gigabit Industrial Switch, DIN-Rail, -40°C to 75°C

Product Images



Short Description

- 10/100/1000Mbps wire speed transmission and reception
- Supports DDMI SFP transceiver

- 6KV surge protection level on each port
- ESD and surge protection
- Supports DIN-rail installation

Description

LevelOne IGU-0501 Industry Ethernet Switch provides 4 ports 10/100/1000 Base plus 1 port Gigabit SFP to enable high speed network at mission-critical environment. With the industrial standard DIN-rail mount; this switch can be easily installed in the cabinet, plus the clearly visible status LEDs provide simple monitoring of port link activity. Moreover, the SFP slots support pluggable modules that enabling you to choose from a variety of transceiversnetwork at mission-critical environment.

Additional Information

Approval and compliance	CE/FCC Surge: 6KV, standard: IEC61000-4-5 ESD: 6KV: contact / 8KV: air, standard:IEC61000-4-2
Max. operating humidity (%)	95
Max. operating temperature (°C)	75
Max. storage humidity (%)	95
Max. storage temperature (°C)	85
Min. operating temperature (°C)	-40
Min. storage temperature (°C)	-40
Backplane (Gbps)	10Gbps
Packet buffer	1M
Indicators	Power Act/Link 10/100/1000
MAC address table	8K
Mount	DIN rail mount
Power supply	VDC 12~60V
Standards	IEEE 802.3 10Base-T Ethernet IEEE 802.3u 100Base-TX Fast Ethernet IEEE 802.3ab 1000Base-T Gigabit Ethernet IEEE 802.3z 1000Base-X Gigabit Ethernet IEEE802.3x Flow Control and Back Pressure
Power switch	No
General features	MTBF : 400k Hours
Product weight (kg)	0.35
Product breadth (mm)	99
Product depth (mm)	65
Product height (mm)	50
Color	Black
EAN	4015867223970
Model number	IGU-0501
Package contents	IGU-0501 Quick Installation Guide

Gigabit RJ45	4
Gigabit SFP	1
Grade	Industrial
Data Rate	Fast and Gigabit Ethernet

