## Brand : QNAP

## Product code: TVS-872XT-I5-16G/64TB-REDPLUS

Product name : TVS-872XT

- High-speed Thunderbolt<sup>™</sup> 3 with SMB protocol, allowing Mac® and Windows® users to collaborate on media editing

- 5-speed 10GBASE-T RJ45 connectivity accelerates virtualization applications and file sharing across teams and devices

- PCIe expandability allows the use of an entry-level graphics card to accelerate NAS video processing and GPU computing

- Install M.2 PCIe (Gen 3 x2, 2 GB/s) NVMe SSDs (sold separately) to set up caching or storage pools, improving file access efficiency

- 4K media playback and real-time transcoding; directly view creative works on an HDTV via HDMI 2.0 (4K @60Hz) output

- Snapshots fully record system status and data, allowing you to protect files and data from accidental deletion and malware attacks

TVS-872XT, Intel Core i5-8400T 1.7 GHz, 16 GB DDR4, 8x 2.5/3.5" SATA III, 2x M.2, 1x 10G RJ-45, 2x 1G RJ-45, 2x PCIe, USB 3.0, 2x USB 3.1 C, 2x USB 3.1 A, HDMI 2.0, 2x 3.5mm, 188.2x329.3x279.6 mm

## Storage Design Storage drive capacity \* 8 TB LED indicators HDD, LAN, USB Serial ATA II, Serial ATA III Supported storage drive interfaces Built-in display Storage drive sizes supported 2.5.3.5" Display type LCD Number of system drives installed 1 Cable lock slot 1 System drive capacity 5 GB Cable lock slot type Kensinaton 2 Number of M.2 (M & B) slots Number of built-in speakers 1 RAID support \* 1 Performance **RAID** levels 0, 1, 5, 6, 10, 50, 60, JBOD Type \* NAS Online RAID migration 1 Small & Medium Business Device class \* Online RAID expansion 1 Backup function \* RAID rebuild 1 Cloud, iSCSI LUN Backup features Hot-swap drive bays Buzzer 1 Supported file systems FAT32, HFS+, NTFS, ext3, ext4 Multilingual support Storage drives installed \* Noise level 24.2 dB Total installed storage capacity \* 64 TB Web-based management Number of storage drives installed \* 8 256-bit AES, FIPS 140-2, HTTPS, Security algorithms Number of storage drives supported 8 SNMPv3, SSH, SSL/TLS Access Control List (ACL) 1 HDD Installed storage drive type \* Reset button 1 Supported storage drive types \* HDD & SSD On/off switch 1 Bad block scan 1 Built-in iTunes server 1 Processor Built-in FTP server Processor manufacturer \* Intel Mozilla Firefox, Microsoft Edge, Browser supported 8th gen Intel® Core<sup>™</sup> i5 Google Chrome, Apple Safari Processor generation System log 1 Processor family \* Intel® Core<sup>™</sup> i5 Hot spare 1 i5-8400T Processor model \* S.M.A.R.T. support 1 Processor frequency \* 1.7 GHz Share folder CIFS/SMB Processor boost frequency 3.3 GHz Remotely operated Processor cores 6 Universal Plug and Play (UPnP) J Processor threads 6 USB copy function J Processor cache 9 MB Bus type DMI3 Software Configurable TDP-down frequency 1.2 GHz Operating system installed \* QNAP Turbo System CPU configuration (max) 1 Operating system version 4.4.0 Number of processors supported 1 Windows operating systems Windows 10, Windows 7, Windows 8 On-board graphics card model Intel® UHD Graphics 630 supported Conflict-Free processor Linux operating systems supported J Memory Internal memory type DDR4

××

×

×

Memory		Software	
-	64 GB	Solution	Mac OS X 10 10 Yacomita, Mac OS X
Maximum RAM supported Memory slots Internal memory * Flash memory	2 16 GB 5000 MB	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Network			Windows Server 2003, Windows
Ethernet LAN * Ethernet LAN data rates Ethernet LAN data rate supported	✓ 100,1000,2500,5000,10000 Mbit/s	Server operating systems supported	Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
(max)	10000 Mbit/s	Power	
DHCP client	1	Power supply location	Built-in
DHCP server	1	Power supply unit (PSU) capacity	250 W
Jumbo frames support	1	Number of power supply units	1
iSCSI support	4	Power consumption (typical)	65.03 W
Wake-on-LAN ready	4	AC input voltage	100 - 240 V
Supported network protocols	TCP/IP, IPv4, IPv6	Fan voltage	12 V
Dynamic DNS (DDNS) WLAN adapter supported		Weight & dimensions	
	•	Width *	329.3 mm
Ports & interfaces		Depth *	279.6 mm
USB port *	4	Height *	188.2 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Packaging content	
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2	Cables included	AC, LAN (RJ-45)
USB 3.2 Gen 2 (3.1 Gen 2) Type-C	2	Processor special features	
ports quantity	-	Embedded options available	×
HDMI ports quantity	1	Enhanced Intel SpeedStep Technology	√
HDMI version	2.0 3	Execute Disable Bit	1
Ethernet LAN (RJ-45) ports * Thunderbolt 3 ports quantity	2	Idle States	4
3.5 mm (1/8-inch) out	2	Intel 64	4
PCI Express x4 (Gen 3.x) slots	1	Intel Clear Video Technology	1
•	1	Intel Enhanced Halt State	1
Design Chassis type *	Tower	Intel Identity Protection Technology version	1.00
Cooling type *	Active	Intel Secure Key Technology version	
Product colour Number of fans	Black 4 fan(s)	Intel Stable Image Platform Program (SIPP)	×
Fan diameter 2	12 cm 6 cm	Intel Stable Image Platform Program (SIPP) version	0.00
		Intel Trusted Execution Technology	×
		Intel TSX-NI	×
		Intel TSX-NI version	0.00
		Intel Virtualization Technology (VT- x)	4
		Intel Virtualization Technology for Directed I/O (VT-d)	4
		Intel VT-x with Extended Page Tables (EPT)	4
		Operational conditions	

Operating temperature (T-T)0 - 40 °COperating relative humidity (H-H)5 - 95%Storage temperature (T-T)-20 - 70 °C

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.